

F 2411 Vi MasterCool freezer

For high-end design and technology on a large scale.



- Push2open for convenient door-opening assistance
- Light floods the interior thanks to LED elements – BrilliantLight
- Fresh ice cubes from the IceMaker with mains water connection
- Communication with appliances couldn't be easier – WiFiConn@ct
- Convenient control thanks to colour touch display MasterSensor

EAN: 4002516199496 / Material number: 11261290 / Old Material Number: 37241101GB

General information	
Model identifier	F 2411 Vi
Manufacturer material number	11261290
EAN number	4002516199496
Class	Diamond
Appliance category	
Freezer	•
Construction type	
Built-in appliance	•
Integrated appliance	•
Door hinge	Left
Convertible door hinging	•
Side-by-side enabled	•
Design	
Lighting	BrilliantLight
User convenience	
Networking with Miele@home	•
Operating concept	MasterSensor
Sabbath mode	•
NoFrost	•
SoftClose	•
IceMaker with mains water connection	•
Push2open	•
FullAccess	•
EasyClean	•
MaxLoad hinge	•
Control system	
SuperFreeze	•
No. of temperature zones	1
Eco mode	•
Freezer/Freezer section	
No. of shelves/surfaces	2
Number of freezer baskets	2
Door baskets – small	1
Door baskets – large	3
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical door alarm	•
Optical temperature alarm	•
Technical data	
Niche width in mm min.	457
Niche width in mm max.	460
Niche height in mm min.	2134
Niche height in mm max.	2164
Niche depth in mm	629
Appliance width in mm	451

F 2411 Vi MasterCool freezer

For high-end design and technology on a large scale.



EAN: 4002516199496 / Material number: 11261290 / Old Material Number: 37241101GB


Appliance height in mm	2127
Appliance depth in mm	610
Weight in kg	125,1
Door hinge technology	Fixed door
Max. door front weight – refrigerator, in kg	59
Climate range	SN-T
Total usable capacity in l	268
Storage time in case of fault in h	10
Current consumption (mA)	3000
Voltage in V	220-240
Fuse rating in A	13
Number of phases	1
Frequency in Hz	50-60
Length of supply lead in m	3,0
Replacing lamps	Service

Available display languages

Available display languages via MultiLingua


? ? ? ? ? ? ? , ?
 ? , ? ? ? ? ? , deutsch,
 dansk, english, english
 (AU), english (CA), english
 (GB), english (US), eesti,
 suomi, français, français
 (CA), français (FR),
 ελληνικά, italiano, ? ?
 ? , ? ? ? ? , hrvatski,
 latviesu, lietuviu, bahasa
 malaysia, nederlands, norsk,
 polski, portugês, română,
 русский, svenska, srpski,
 slovenčina, slovenščina,
 español, čeština, türkçe,
 українська, magyar

F 2411 Vi MasterCool freezer For high-end design and technology on a large scale.




Side-by-side, MasterCool, without partition wall, with heating mat (Sketch) (with footnote)


1) Heating mat KSK 2001 (EU, AUS, CN) or KSK 2002 (US, CA, MX, BR)



F2413Vi, F2412Vi, F2411Vi, MasterCool, inner space, installation drawings




Sideview, MasterCool, Sketch




Example for dimensioning Side-by-side-Combination MasterCool (Sketch) (*footnote) (only for EUROPE)

*Niche height, 1 = Side-by-side fitting kit including pre-installed side wall heating KSK 200x, 2 = Furniture plinth height 102 - 132 mm (the appliance feet can be adjusted up to 30 mm high), 3 = Total appliance niche width 1220 mm (458 mm + 762 mm)




Side-by-Side, MasterCool, footnote, installation drawings

1. KSK 2001/2002, 2. Device A, 3. Device B, A = niche device A, B = niche device B



KFP1805ed/cs, KFP1804ed/cs, Front panel, Front dimensions, MasterCool, installation drawings

For high-end design and technology on a large scale.



A) Appliance door, F 2411 Vi: 525 mm (20 2/3 inch),
F 2412 Vi, F 2412 SF, F 2413Vi, F 2472 Vi, F 2472 SF:
525 mm (20 2/3 inch),, F 2671 Vi: 677 mm
(26 2/3 inch),, F 2672 Vi, F 2672 SF: 677 mm
(26 2/3 inch),, F 2812 SF, F 2812 Vi, F 2813 Vi:
829 mm (32 2/3 inch),, F 2912 Vi, F 2912 SF:
982 mm (38 2/3 inch), B) Furniture front (max. 38 mm)
(1 1/2 inch), C) Door handle, D) Distance from the door
to the wall (without furniture front and door handle):
, F 2411 Vi: 237 mm (9 1/3 inch),, F 2412 Vi, F
2412 SF, F 2472 Vi, F 2472 SF: 237 mm (9 1/3 inch),,
F 2672 Vi, F 2672 SF: 296 mm (11 2/3 inch),, F
2811 Vi: 363 mm (14 1/3 inch),, F 2812 SF, F 2812 Vi:
363 mm (14 1/3 inch),, F 2912 Vi, F 2912 SF: 428 mm
(16 7/8 inch), E) ONLY valid for SF versions: A + 25 mm
(1 inch)